hahne

Building Protection Systems

Product Range 2022

Valid from 1 January

A sievert brand

PROTECTING VALUES ALL ROUND

For more than 90 years, hahne has stood for building chemical system solutions for new buildings and renovations. The protection and conservation of the building fabric is one of our main goals. Whoever works with hahne systems is a true professional, relies on a trend-setting product range with excellent processing properties and the highest quality standards. Committed to progress, hahne is constantly developing new product solutions for the protection of buildings.

1.1 Primer....06
1.2 Mineral thick coating – FPD / sealing slurry...06
1.3 Thick bitumen coating – PMBC....07
1.4 Sealing sheet....08
1.5 Bitumen coating....09
1.6 Detail sealing....09
1.7 Accessories....10

IMBERAL®
Foundation Wall Protection

2.1 Primer....14
2.2 Injection waterproofing....14
2.3 Mould repair....16
2.4 Mortar....17
2.5 Sealing slurry....18
2.6 Restoration plaster....19
2.7 Accessories....21

INTRASIT®
Masonry Repair

3.1 Primer, coating, synthetic resin mortar....24
3.2 Levelling compound....30
3.3 Waterproofing....31
3.4 Sealant....32
3.5 Binder....33
3.6 Filler....34
3.7 Accessories....37

HADALAN®
Floor Protection

HADALAN®
Balcony Protection

4.1 Primer 46
4.2 Roof coating 46
4.3 Roof waterproofing 46
4.4 Filling compound 47
4.5 Accessories 47

DAKORIT®
Roof Protection

5.1 Brushes, rollers and frames 50
5.2 Trowels and smoothing trowels 52
5.3 Squeegees and toothed rails 53
5.4 Stirrers 55
5.5 Spraying and injecting 56
5.6 Accessories 57
5.7 Machinery 59

Complementary
Products and
Accessories

IMBERAL®
Foundation Wall Protection

WATERPROOFING AT THE STATE OF THE ART.

Structures in contact with the ground require durable, consistent and seamless protection. Plastic-modified bitumen thick coatings have been our passion for decades. Whether 1- or 2-component with on-demand hardener or airless sprayable. Also in winter, we have been successful over years with our IMBERAL® 2K Winter 26B. Our building waterproofing products are crowned by our consistent will to innovate, which is reflected in the products IMBERAL® RSB 55Z and PROLASTIC® 55Z, which are in line with the latest state of the art.

1 IMBERAL® FOUNDATION WALL PROTECTION

1.1 Primer	06
1.2 Mineral thick coating – FPD / sealing slurry	06
1.3 Thick bitumen coating – PMBC	07
1.4 Sealing sheet	08
1.5 Bitumen coating	09
1.6 Detail sealing	09
1.7 Accessories	10

1.1 Primer

IMBERAL® Aquarol 10D

- Special primer for building waterproofing on mineral substrates
- Consumption: approx. 0.15 – 0.25 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Aquarol 10D red	- 40110 6	PE canister	20 kg	24	610 617 010	
Aquarol 10D red	- 40111 3	PE canister	5 kg	120	610 617 010	

IMBERAL® Aquarol Winter 16D

- Special primer for building waterproofing in winter down to -5 °C
- Consumption: approx. 0.15 – 0.25 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Aquarol Winter 16D red	- 40237 0	PE canister	20 kg	24	610 617 030	

1.2 Mineral thick coating – FPD / sealing slurry

PROLASTIC® 55Z

- Flexible, polymer-modified thick coating for building waterproofing
- Consumption:
  approx. 1.1 kg/m² per mm dry layer thickness according to DIN 18533 (sealing slurry):
  W1-E: 2.2 kg/m²
  W4-E: 2.2 kg/m²

  based on DIN 18533 (PMBC):
  W1-E: 3.3 kg/m²
  W2-E: 4.4 kg/m²
  W3-E: 4.4 kg/m²
  W4-E: 3.3 kg/m²²

  Scratch filling:
  approx. 1 – 2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PROLASTIC 55Z 2-comp. grey	- 40539 5	Combination bag	26 kg	18	610 612 010	

IMBERAL® RSB 55Z

- Reactive, fast building waterproofing, flexible
- Consumption: approx. 1.5 kg/m² per mm dry layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
RSB 55Z 2-comp. red	- 40338 4	Combination bag	25 kg	18	610 612 020	

IMBERAL® S100 90B

- Thick bitumen coating for building waterproofing, polystyrene-filled
- Consumption:
  W1-E: 3.3 l/m²
  W2-E: 4.4 l/m²
  W3-E: 4.4 l/m²
  W4-E: 3.3 l/m²
  Scratch filling: approx. 1 – 2 l/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
S100 90B 2-comp. polystyrene-filled black	- 40112 0	Set (PE bucket/ sack)	30 ltr.	17	610 611 010	

IMBERAL® 2K 20B

- Thick bitumen coating for building waterproofing, fibre-enhanced
- Consumption:
  W1-E: 3.6 kg/m²
  W2-E: 4.9 kg/m²
  W3-E: 4.9 kg/m²
  W4-E: 3.6 kg/m²
  Scratch filling:
  approx. 1 – 2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
2K 20B 2-comp. fibre-enhanced black	- 40186 1	Set (PE bucket/ sack)	30 kg	16	610 611 020	

IMBERAL® 2K-D 20B

- Thick bitumen coating for building waterproofing, airless sprayable
- Consumption:
  W1-E: 3.6 kg/m²
  W2-E: 4.9 kg/m²
  W3-E: 4.9 kg/m²
  W4-E: 3.6 kg/m²
  Scratch filling:
  approx. 1 – 2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
2K-D 20B 2-comp. fibre-enhanced black	- 40238 7	Set (PE bucket/ sack)	30 kg	16	610 611 030	

IMBERAL® 2K Winter 26B

- Thick bitumen coating for building waterproofing, winter down to -5 °C
- Consumption:
  W1-E: 4.1 kg/m²
  W2-E: 5.5 kg/m²
  W3-E: 5.5 kg/m²
  W4-E: 4.1 kg/m²
  Scratch filling:
  approx. 1 – 2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
2K Winter 26B 2-comp. fibre-enhanced black	- 40300 1	Set (PE bucket/ sack)	32 kg	16	610 611 040	

1.3 Thick bitumen coating – PMBC

ÖKOPLAST 2K 20B

- Thick bitumen coating for building waterproofing, fibre-enhanced
- Consumption:
  W1-E: 4.1 kg/m²
  W2-E: 5.5 kg/m²
  W3-E: 5.5 kg/m²
  W4-E: 4.1 kg/m²
  Scratch filling:
  approx. 1 – 2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ÖKOPLAST 2K 20B 2-comp. fibre-enhanced black	- 40113 7	Set (PE bucket/ sack)	30 kg	17	610 611 050	

ÖKOPLAST 1K 20B

- Thick bitumen coating for building waterproofing, polystyrene-filled
- Consumption:
  W1-E: 3.6 l/m²
  W2-E: 4.8 l/m²
  W3-E: 4.8 l/m²
  W4-E: 3.6 l/m²
  Scratch filling:
  approx. 1 – 2 l/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ÖKOPLAST 1K 20B 1-comp. polystyrene-filled black	- 40160 1	PE bucket	30 ltr.	18	610 611 060	

ÖKOPLAST Plus 55Z

- Reaction accelerator for ÖKOPLAST 1K 20B
- Consumption: 1 sack (2 kg) per container (30 l)

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ÖKOPLAST Plus 55Z grey	- 40382 7	Paper sack	2 kg	288	610 618 010	

1.4 Sealing sheet

IMBERAL® SKB 89B

- Self-adhesive bitumen sheet for all-weather building waterproofing down to -5 °C
- consumption: approx. 1.1 m²/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SKB 89B roll	- 40116 8	Carton	15 m²	15	610 615 010	

1.5 Bitumen coating

IMBERAL® Emuflex 20B

- Bitumen coating for building waterproofing, highly flexible
- Consumption:
  floor humidity 1.5 kg/m²
  backwater or pressing water 3.0 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Emuflex 20B 1-comp. black	- 40266 0	PE bucket	23 kg	24	610 614 010	

IMBERAL® BES 10B

- Bitumen protective coating and admixture for building waterproofing
- Consumption: approx. 0.2 – 0.3 l/m² per coat

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BES 10B 1-comp. black	- 40114 4	PE bucket	25 ltr.	18	610 614 020	

IMBERAL® SK 16B

- Bitumen primer for IMBERAL® SKB 89B, adhesion enhancing
- Consumption: approx. 0.15 – 0.2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SK 16B 1-comp. black	- 40115 1	Tin bucket	5 kg	72	610 618 020	

1.6 Detail sealing

IMBERAL® DAB 30P

- Detail waterproofing made of liquid plastic for building waterproofing, elastic
- Consumption: approx. 2.5 – 3.5 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DAB 30P 1-comp. grey	- 40567 8	Tin bucket	7.5 kg	72	610 613 010	

IMBERAL® BEP-F 20B

- Bitumen adhesive compound for protective plates and drainage panels
- Consumption:
  bead-dot bonding: 2 – 3 kg/m²
  full-surface bonding: 3 – 4 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BEP-F 20B 1-comp. black	- 40265 3	PE bucket	22 kg	24	610 618 030	

ÖKOPLAST PK-2K 20B

- Bitumen board adhesive for protective plates and drainage panels
- Consumption:
  bead-dot bonding: 2 – 3 kg/m²
  full-surface bonding: 3 – 4 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ÖKOPLAST PK-2K 20B 2-comp. black	- 40707 8	Set (PE bucket/ sack)	30 kg	17	610 618 040	

IMBERAL® FAB 89ZH

- Joint sealing tape, highly elastic, hot-air weldable
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FAB 89ZH Roll 0.24 m × 15 m	- 40217 2	Roll	15 running metre		610 618 050	

IMBERAL® DB-PV 89ZH

- special sealing tape made of transversely elastic and longitudinally stable polypropylene fleece

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DB-PV 89ZH Roll 120 mm × 20 m	- 41059 7	Carton	20 running metre		610 618 060	
DB-PV 89ZH Roll 250 mm × 20 m	- 41061 0	Carton	20 running metre		610 618 060	
DB-PV 89ZH Roll 500 mm × 20 m	- 41060 3	Carton	20 running metre		610 618 060	
DB-PV 89ZH Inside corner 60 mm × 60 mm × 120 mm	- 41062 7	Carton	25 pcs.		610 618 060	
DB-PV 89ZH Outside corner 60 mm × 60 mm × 120 mm	- 41063 4	Carton	25 pcs.		610 618 060	

IMBERAL® DB 89ZH

- Sealing tape, elastic, nonwoven-laminated and watertight
- Consumption: 1 running metre/running metre

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DB 89ZH Roll 0.12 m × 50 m	- 40383 4	Roll	50 running metre		610 618 070	

IMBERAL® VE 89V

- Reinforcing insert for reinforcing coatings, alkali-resistant
- Consumption: approx. 1.05 m²/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VE 89V Roll 0.5 m × 50 m	- 40144 1	Roll	25 m²	60	610 618 080	
VE 89V Roll 1.0 m × 50 m	- 40145 8	Roll	50 m²	30	610 618 080	

IMBERAL® Multidrain 89V

- Drain and protective sheet for horizontal and vertical waterproofing
- consumption: approx. 1 m²/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Multidrain 89V Roll 2.0 m × 12.5 m	- 40268 4	Roll	25 m²	6	610 618 090	
Multidrain 89V Roll 1.25 m × 20.0 m	- 40189 2	Roll	25 m²	4	610 618 090	

IMBERAL® AS-Multidrain 89V

- End rail for IMBERAL® Multidrain 89V
- Consumption: 1 running metre/running metre

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Bundle	Material group	Price
AS-Multidrain 89V Rail	- 40302 5	Quantity	2.4 running metre	10	610 618 100	

INTRASIT®
Masonry Repair

MASONRY RESTORATION CUSTOM FIT.

For the renovation of damp and salt-damaged substrates, we offer different renovation systems, depending on the state of the building. These include the classic approach with WTA-certified product systems through to the high-speed INTRASIT® RZ system, which, due to the complex binder matrix and pore structure allows extremely rapid restoration.

2 INTRASIT® MASONRY REPAIR

2.1 Primer	14
2.2 Injection waterproofing	14
2.3 Mould repair	16
2.4 Mortar	17
2.5 Sealing slurry	18
2.6 Restoration plaster	19
2.7 Accessories	21

2.1 Primer

INTRASIT® Aquarol 10A

- Special primer for masonry repair
- Consumption: approx. 0.15 – 0.25 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Aquarol 10A colourless	- 40287 5	PE canister	20 kg	24	620 626 010	
Aquarol 10A colourless	- 40288 2	PE canister	5 kg	120	620 626 010	

VESEROL® Kontakt 10D

- Bonding bridge for mineral plasters on smooth, dense substrates
- Consumption: approx. 0.25 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Kontakt 10D red	- 40136 6	PE bucket	20 kg	24	620 626 020	

2.2 Injection waterproofing

INTRASIT® VK 10A

- Silicification against rising moisture in masonry and concrete
- Consumption:
  approx. 0.5 – 1 kg/m² as surface sealing
  approx. 5 kg/m using drill hole method with 30 cm limestone

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VK 10A colourless	- 40227 1	PE canister	23 kg	24	620 624 010	
VK 10A colourless	- 40117 5	PE canister	12 kg	40	620 624 010	



INTRASIT® MEK 18OS

- Micro-emulsion concentrate for subsequent horizontal waterproofing
- Consumption: approx. 0.5 l/m using drill hole method with 30 cm limestone

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
MEK 180S colourless	- 40118 2	PE canister	20 ltr.	24	620 624 020	
MEK 180S colourless	- 40119 9	Tin bucket	5 ltr.	72	620 624 020	

INTRASIT® BLK 18OS

- Drill hole concentrate for horizontal waterproofing using low-pressure method
- Consumption: approx. 0.5 kg/m using drill hole method with 30 cm limestone

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BLK 180S colourless	- 40277 6	PE canister	20 kg	24	620 624 030	

INTRASIT® IC 28OS

- Injection cream for subsequent horizontal waterproofing
- Consumption: approx. 0.1 l/m using drill hole method with 10 cm limestone (8.3 drill holes per metre)



Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
IC 280S	- 40449 7	PE bucket	5 ltr.	80	620 624 040	
IC 280S	- 40397 1	Aluminium tubular bag/ box	0.6 ltr.	840	620 624 040	

INTRASIT® AS 88OS

- Sealing stick for subsequent horizontal waterproofing
- Consumption: 1 stick per 18 cm drilling depth, one drill hole every 12 cm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
AS 880S	- 40870 9	Aluminium bag	10 pcs.	5	620 624 050	

INTRASIT® PU-Injekt 12P

- Polyurethane injection resin for shrinkage-free crack injection
- Consumption: approx. 1 l/1000 cm³

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PU-Injekt 12P	- 40280 6	Combination bag	2 ltr.	80	620 624 060	

2.2 Injection waterproofing

INTRASIT® PU-Aquastop 11P

- Injection resin for injecting into water-conducting cracks
- Consumption: approx. 0.2 l/1000 cm³

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
PU-Aquastop 11P	- 40394 0	Tin bottle	1 kg	11	620 624 070	

2.3 Mould repair

INTRASIT® SE-SB 10D

- Schimmel-Ex – spore binder with 3-phase active system
- Consumption: approx. 0.2 – 0.3 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SE-SB 10D colourless	- 40314 8	PE canister	5 kg	120	620 623 010	

INTRASIT® SE-SL 18DD

- Schimmel-Ex – repair solution for cleaning
- Consumption: approx. 0.1 – 0.2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SE-SL 18DD colourless	- 40313 1	PE canister	5 kg	120	620 623 020	

INTRASIT® SE-SF 70A

- Schimmel-Ex – repair paint with long-term action
- Consumption: approx. 0.15 l/m² per coat

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SE-SF 70A white	- 40366 7	PE bucket	15 ltr.	24	620 623 030	

INTRASIT® SM 54Z

- Sealing mortar for waterproofing work and grooves
- Consumption:
  approx. 2 kg/m groove
  approx. 18 kg/m² per cm plaster thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SM 54Z grey	- 40406 0	Paper sack	25 kg	42	620 625 010	

INTRASIT® FSM Winter 56Z

- Early-strength special mortar for grooves in winter down to -5 °C
- Consumption:
  approx. 2 kg/m groove
  approx. 17 kg/m² per cm plaster thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FSM Winter 56Z grey	- 40184 7	Paper sack	25 kg	36	620 625 020	

INTRASIT® BLS 54TR

- Drill hole suspension for the shrinkage-free filling of cavities
- Consumption: approx. 1.8 kg/1000 cm³

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BLS 54TR grey	- 40123 6	Paper sack	25 kg	36	620 625 040	

INTRASIT® DS1 54Z

- Sealing slurry for waterproofing work, sulphate-resistant
- Consumption:
  approx. 1.5 kg/m² per mm dry layer thickness
  approx. 3 kg/m² in case of soil moisture
  approx. 4 kg/m² in case of non-pressing water
  approx. 5 kg/m² in case of water containers

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DS1 54Z grey	- 40156 4	Paper sack	25 kg	36	620 621 010	

INTRASIT® DS2 54Z

- Sealing slurry for waterproofing work
- Consumption:
  approx. 2 kg/m² per mm dry layer thickness
  approx. 4 kg/m² in case of soil moisture
  approx. 5 kg/m² in case of non-pressing water
  approx. 6 kg/m² in case of pressing water
  approx. 6 kg/m² in case of water containers

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DS2 54Z grey	- 40121 2	Paper sack	25 kg	40	620 621 020	



INTRASIT® Poly-C1 54Z

- Sealing compound for waterproofing in building and underground construction, 1.5 - 5 mm
- Consumption:
  approx. 2 kg/m² per mm dry layer thickness
  approx. 3 kg/m² in case of normal stress
  approx. 4 kg/m² in case of pressing water
  approx. 3.4 kg/m² according to DIN 18533 W1-E and W4-E

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Poly-C1 54Z grey	- 40303 2	Set (PE canister/ sack)	20 kg	40	620 621 030	

INTRASIT® DSM-Pro 54Z

- Sealing and protective mortar for concrete and masonry, crack-bridging
- Consumption:
  approx. 2.8 kg/m² as sealing slurry
  approx. 4.2 kg/m² as OS5b

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DSM-Pro 54Z grey	- 40803 7	Combination bag	25 kg	18	620 621 040	

INTRASIT® RZ1 55HSP

- Instant sealing mortar, fibre-reinforced, 3 – 50 mm
- Consumption:
  approx. 2 kg/m groove
  approx. 12.5 kg/m² per cm plaster thickness
  25 kg ≈ 20 l fresh mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
RZ1 55HSP grey	- 40289 9	Paper sack	25 kg	36	620 622 010	

INTRASIT® RZ2 55HSP

- Instant lightweight climate plaster, fibre-reinforced, 10 – 25 mm
- Consumption:
  approx. 6.5 kg/m² per cm plaster thickness
  15 kg ≈ 21 l fresh mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
RZ2 55HSP natural white	- 40290 5	Paper sack	15 kg	36	620 622	

INTRASIT® USP 54Z

- Universal renovation plaster
- Consumption:
  approx. 12 kg/m² per cm plaster thickness
  25 kg ≈ 21 l fresh mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
USP 54Z grey	- 63915 8	Paper sack	25 kg	48	620 622 020	

INTRASIT® FP 54Z

- Felted plaster
- Consumption:
  approx. 11 kg/m² per cm plaster thickness
  25 kg ≈ 23 l fresh mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FP 54Z white	- 58213 3	Paper sack	25 kg	42	620 622 030	

INTRASIT® VS-WTA Plus 54Z

- Pre-spray mortar for the secure adhesion of subsequent WTA renovation plaster
- consumption: approx. 4 kg/m² semi-coverage

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VS-WTA 54Z grey	- 08850 5	Paper sack	30 kg	36	308 240 040	

New!

WTA

INTRASIT® GP-WTA Plus 54Z

- Base plaster for the compensation of unevenness
- consumption: approx. 5 kg/m² per 5 mm plaster thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
GP-WTA 54Z grey	- 08750 8	Paper sack	30 kg	35	308 240 050	

New!

WTA

INTRASIT® SP-WTA Plus 54Z

- Renovation plaster for indoors and outdoors
- consumption: approx. 11 kg/m² per 10 mm plaster thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SP-WTA Plus 54Z natural white	- 8814 7	Paper sack	25 kg	48	620 622 040	

New!

WTA

INTRASIT® SP 10A

- Salt blocker to prevent the migration of salts that are harmful to buildings in mineral substrates
- Consumption: approx. 0.5 kg/m² per coat

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SP 10A colourless	- 40120 5	PE canister	10 kg	40	620 628 010	

INTRASIT® UT 18L

- Universal release agent for absorbent and non-absorbent concrete formwork
- Consumption:
  approx. 0.015 – 0.02 l/m² in case of non-absorbent formwork
  approx. 0.03 – 0.05 l/m² in case of absorbent formwork

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
UT 18L colourless	- 40169 4	PE canister	20 ltr.	24	620 628 020	

VESTEROL® SSW 18OS

- Silane-siloxane emulsion for the hydrophobation of surfaces
- Consumption: approx. 0.3 – 0.6 l/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SSW 180S colourless	- 40185 4	PE canister	20 ltr.	24	620 628 040	
SSW 180S colourless	- 40215 8	PE canister	5 ltr.	120	620 628 040	

VESTEROL® GEL 28OS

- Hydrophobing gel for all absorbent mineral substrates
- Consumption: approx. 0.15 – 0.3 l/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
GEL 280S colourless	- 40272 1	PE bucket	20 ltr.	16	620 628 050	
GEL 280S colourless	- 40330 8	PE bucket	5 ltr.	80	620 628 050	

B
30



HADALAN®
Floor Protection

FLOOR COATINGS - ALWAYS WHEN IT MATTERS.

HADALAN®
Balcony Protection

BALCONY PROTECTION - SAFE RENOVATION AND CREATIVE DESIGN.

A good floor is the basis for perfect work results. No matter whether it is the technical properties for use in industry, services and crafts or the decorative design with seamless, decorative floors in the office or at home. With HADALAN® systems, you can master the most difficult substrates. You can choose from a wide range of vapour-permeable and impermeable primers, paints and coatings as well as levelling compounds and top coats. In addition we focus on VOC-free products and decorative systems.

Balconies and terraces as well as loggias, arcades and outdoor staircases are among the most demanding building components due to their climatic stress. The constant alternation of heat and cold or dryness and wetness require product systems that are permanently watertight and decorative. With the seamless HADALAN® liquid plastics, we offer excellent application and solution options for new construction and renovation. Due to the large variety of waterproofing products and decorative coverings, very individual design options can also be implemented.

3 HADALAN® FLOOR PROTECTION / BALCONY PROTECTION

3.1 Primer, coating, synthetic resin mortar	24
3.2 Levelling compound	30
3.3 Waterproofing	31
3.4 Sealant	32
3.5 Binder	33
3.6 Filler	34
3.7 Accessories	37

VESTEROL® TG 10D

- Deep primer for priming and surface strengthening
- Consumption: approx. 0.15 l/m² per coat

- Application: Priming

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
TG 10D colourless	- 40134 2	PE canister	20 ltr.	24	630 636 010	
TG 10D colourless	- 40135 9	PE canister	5 ltr.	120	630 636 010	

HADALAN® SK 10D

- Super contact – acrylate dispersion for smooth and dense substrates
- Consumption: approx. 0.1 – 0.15 kg/m²

- Application: Priming

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SK 10D colourless	- 40387 2	PE bucket	15 kg	24	630 636 020	

HADALAN® V31 13E

- Epoxy primer for absorbent mineral substrates and ceramics
- Consumption:
  approx. 0.1 – 0.2 kg/m² as primer
  approx. 0.2 – 0.3 kg/m² as top coat

- Application: Priming

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
V31 13E colourless	- 40281 3	Combination bag	4 kg	56	630 636 040	

HADALAN® WHG-G 12E

- WHG primer
- Consumption: approx. 0.5 kg/m²

- Application: Priming

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
WHG-G 12E colourless	- 40945 4	Set (tin bucket/tin bucket)	20 kg		630 636 090	

3.1 Primer, coating, synthetic resin mortar

HADALAN® ESD-G 12E

- ESD primer
- Consumption: approx. 0.5 kg/m²

- Application: Priming

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ESD-G 12E colourless	- 40946 1	Tin bucket	25 kg		630 636 100	

HADALAN® Acryl 10D

- Acrylate coating for indoors and outdoors
- Consumption: approx. 0.1 – 0.15 l/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Acrylic 10D stone grey approx. RAL 7030	- 40142 7	PE bucket	5 ltr.	80	630 631 030	

HADALAN® LF41 12E

- Epoxy dispersion rolled coating, osmosis-resistant, vapour diffusion permeable
- Consumption: approx. 0.25 kg/m² per coat

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
LF41 12E stone grey approx. RAL 7030	- 40589 0	Tin bucket	20 kg	8	630 631 040	
LF41 12E stone grey approx. RAL 7030	- 40378 0	Combination bag	5 kg	56	630 631	
LF41 12E pebble grey approx. RAL 7032	- 40402 2	Tin bucket	20 kg	8	630 631	
LF41 12E pebble grey approx. RAL 7032	- 40379 7	Combination bag	5 kg	56	630 631	

HADALAN® LF51 12E

- Epoxy dispersion rolled coating, osmosis-resistant, vapour diffusion permeable
- Consumption: approx. 0.3 kg/m² per coat

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
LF51 12E stone grey approx. RAL 7030	- 40173 1	Tin bucket	20 kg	8	630 631 050	
LF51 12E stone grey approx. RAL 7030	- 40282 0	Combination bag	6 kg	56	630 631	
LF51 12E pebble grey approx. RAL 7032	- 40226 4	Tin bucket	20 kg	8	630 631	
LF51 12E pebble grey approx. RAL 7032	- 40283 7	Combination bag	6 kg	56	630 631	

HADALAN® VS 12E

- Epoxy rolled coating, osmosis-resistant
- colourable with HADALAN® ColourPowder
- Consumption: approx. 0.2 – 1 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VS 12E colourless	- 41166 2	Combination bag	12.5 kg	42	630 631 070	

HADALAN® VS-E 12E

- Epoxy rolled coating, osmosis-resistant, elastic
- colourable with HADALAN® ColourPowder
- Consumption: approx. 0.3 – 1 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VS-E 12E colourless	- 41167 9	Combination bag	10.5 kg	42	630 631 070	

HADALAN® WHG-DS 12E

- WHG top coat
- consumption: approx. 2.5 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
WHG-DS 12E stone grey approx. RAL 7030	- 40927 0	Set (tin bucket/tin bucket)	20 kg		630 631 110	
WHG-DS 12E pebble grey approx. RAL 7032	- 40928 7	Set (tin bucket/tin bucket)	20 kg		630 631 110	

HADALAN® WHG-LS 12E

- WHG conductive coat
- Consumption: approx. 0.1 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
WHG-LS 12E black	- 40931 7	Set (tin bucket/tin bucket)	18 kg		630 631 120	

3.1 Primer, coating, synthetic resin mortar

HADALAN® WHG-LDS 12E

- WHG conductive top coat
- consumption: approx. 2.5 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
WHG-LDS 12E stone grey approx. RAL 7030	- 40929 4	Set (tin bucket/tin bucket)	20 kg		630 631 130	
WHG-LDS 12E pebble grey approx. RAL 7032	- 40930 0	Set (tin bucket/tin bucket)	20 kg		630 631 130	

HADALAN® ESD-LS 12E

- ESD conductive coat
- Consumption: approx. 0.1 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ESD-LS 12E black	- 40934 8	Set (tin bucket/tin bucket)	18 kg		630 631 140	

HADALAN® ESD-LDS 12E

- ESD conductive top coat
- Consumption: approx. 1.8 kg/m²

- Application: Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ESD-LDS 12E stone grey approx. RAL 7030	- 40932 4	Set (tin bucket/tin bucket)	20 kg		630 631 150	
ESD-LDS 12E pebble grey approx. RAL 7032	- 40933 1	Set (tin bucket/tin bucket)	20 kg		630 631 150	

HADALAN® Pripor 12E

- Primer and protective coating, thixotropic, pore covering
- Consumption:
  approx. 0.25 kg/m² as primer
  approx. 0.5 kg/m² as pore closure

- Application: Priming Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Pripor 12E red	- 40623 1	Combination bag	8.5 kg	42	630 636 030	

HADALAN® GVS 12E

- Primer, self-levelling and protective coating, coloured
- colourable with HADALAN® ColourPowder
- consumption: depending on application

- Application: Priming Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
GVS 12E colourless	- 41162 4	Tin bucket	24 kg	8	630 631 080	
GVS 12E colourless	- 41163 1	Combination bag	9 kg	42	630 631 080	

HADALAN® PUR Floor-H 13P

- Polyurethane self-levelling coating, coloured, hard
- colourable with HADALAN® ColourPowder
- consumption: depending on application

- Application: Priming Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PUR Floor-H 13P colourless	- 41165 5	Combination bag	10 kg	42	630 631 090	

HADALAN® PUR Floor-E 13P

- Polyurethane self-levelling coating, coloured, elastic
- colourable with HADALAN® ColourPowder
- consumption: depending on application

- Application: Priming Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PUR Floor-E 13P colourless	- 41164 8	Combination bag	10 kg	42	630 631 100	

HADALAN® KS 13P

- Adhesive layer for grit and gravel
- Consumption: approx. 0.8 kg/m² as adhesive layer

- Application: Priming Coating

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
KS 13P colourless	- 40395 7	Combination bag	9 kg	42	630 631 160	

HADALAN® EPUni 12E

- Universal epoxy resin for priming, anchoring and synthetic resin mortar
- Consumption:
  approx. 0.2 – 0.4 kg/m² as primer
  approx. 0.2 – 0.5 kg/m² as unfilled thick coat
- Application: Priming Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
EPUni 12E colourless	- 40311 7	Set (tin bucket/tin bucket)	24 kg	8	630 636 060	
EPUni 12E colourless	- 40231 8	Combination bag	9 kg	42	630 636 060	
EPUni 12E colourless	- 40308 7	Combination bag	3 kg	84	630 636 060	

HADALAN® SBH 13E

- Rapid construction resin for priming
- Consumption:
  approx. 0.2 – 0.4 kg/m² as primer
  approx. 0.3 – 0.6 kg/m² as bonding bridge
- Application: Priming Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SBH 13E colourless	- 40726 9	Combination bag	7 kg	42	630 636 050	

HADALAN® EG145 13E

- Epoxy primer for mineral substrates, osmosis-resistant
- Consumption: approx. 0.2 – 0.4 kg/m²
- Application: Priming Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
EG145 13E colourless	- 40285 1	Combination bag	8.7 kg	42	630 636 070	
EG145 13E colourless	- 40218 9	Combination bag	2.9 kg	84	630 636 070	
EG145 13E colourless	- 40299 8	Combination bag	1 kg		630 636 070	

HADALAN® EBG 13E

- Epoxy resin dispersion, binder and primer
- Consumption: approx. 0.15 kg/m²
- Application: Priming Coating Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
EBG 13E colourless	- 40344 5	Combination bag	8.5 kg	42	630 631 010	
EBG 13E colourless	- 40352 0	Combination bag	1 kg		630 631 010	

3.1 Primer, coating, synthetic resin mortar

HADALAN® MBH 12E

- Multifunction construction resin, epoxy resin for a wide range of applications
- colourable with HADALAN® ColourPowder
- consumption: depending on application

- Application: Priming Coating Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
MBH 12E colourless	- 40549 4	Set (tin bucket/tin bucket)	24 kg	8	630 631 020	
MBH 12E colourless	- 40377 3	Combination bag	9 kg	42	630 631 020	
MBH 12E colourless	- 40407 7	Combination bag	1 kg	216	630 631 020	

HADALAN® Velo-Base

- High-speed primer and coating, rigid
- colourable with HADALAN® ColourPowder
- consumption: depending on application

- Application: Priming Coating Synthetic resin mortar

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Velo-Base transparent	- 41107 5	Set (tin bucket/tin bucket)	10 kg	30	630 636 080	
Velo-Base transparent	- 41106 8	Set (tin bucket/tin bucket)	3 kg	36	630 636 080	

HADALAN® Velo-Flex

- High-speed primer and coating, flexible
- colourable with HADALAN® ColourPowder
- Consumption: approx. 0.4 – 0.6 kg/m² as sealant

- Application: Priming Coating Sealing

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Velo-Flex transparent	- 41108 2	Set (tin bucket/tin bucket)	3 kg	36	630 631 200	

3.2 Levelling compound

HADALAN® IB20 54Z

- Industrial flooring for functional, heavy-duty surfaces
- consumption: approx. 1.6 kg/m² per mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
IB20 54Z grey	- 77865 9	Paper sack	25 kg	48	630 633 020	

3.2 Levelling compound

VESTEROL® MS 55HSP

- Multifunction filler for universal use on concrete and masonry
- Consumption: approx. 12.5 kg/m² per cm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
MS 55HSP grey	- 40359 9	Paper sack	20 kg	36	620 625 050	

3.3 Waterproofing

HADALAN® FBA 32P

- Flexible balcony waterproofing and top layer
- Consumption: approx. 1.5 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FBA 32P silver grey approx. RAL 7001	- 40367 4	Tin bucket	7 kg	72	630 632 020	
FBA 32P pebble grey approx. RAL 7032	- 40373 5	Tin bucket	7 kg	72	630 632 020	

HADALAN® DS91 13P

- Sealing layer for waterproofing balconies, loggias and arcades
- consumption: approx. 1.2 kg/m² per mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DS91 13P grey	- 40710 8	Combination bag	13 kg	42	630 632 010	
DS91 13P grey	- 40566 1	Set (tin bucket/tin bucket)	4 kg	72	630 632 010	

HADALAN® Velo-Seal

- High-speed waterproofing and top layer
- colourable with HADALAN® ColourPowder
- Consumption: 2.9 kg/m² with 2 mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Velo-Seal transparent	- 41109 9	Set (tin bucket/tin bucket)	13 kg	30	630 632 030	

HADALAN® Topcoat M 12P

- Polyurethane dispersion sealant, matt
- Consumption:
  approx. 0.1 – 0.15 kg/m² per coat in case of non-absorbent substrates
  approx. 0.15 – 0.25 kg/m² per coat in case of absorbent substrates

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Topcoat M 12P colourless	- 40245 5	Set (PE bucket/tin bottle)	5 kg	80	630 631 170	

HADALAN® Topcoat-Flex 12P

- Polyurethane dispersion sealant, flexible
- Consumption:
  approx. 0.1 – 0.15 kg/m² per coat in case of non-absorbent substrates
  approx. 0.15 – 0.25 kg/m² per coat in case of absorbent substrates

New!

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Topcoat-Flex transparent silk-matt	- 41157 0	Tin bucket	2.5 kg	96	630 631 175	

HADALAN® Topcoat G 32P

- Polyurethane sealant, gloss
- Consumption:
  approx. 0.1 – 0.15 kg/m² per coat in case of non-absorbent substrates
  approx. 0.15 – 0.25 kg/m² per coat in case of absorbent substrates

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Topcoat G 32P colourless	- 40329 2	Tin bucket	2.5 kg	96	630 631 180	

HADALAN® PUR Top 32P

- Protective and sealing coating for outdoors
- colourable with HADALAN® ColourPowder
- Consumption:
  approx. 0.2 – 0.25 kg/m² per coat
  approx. 0.15 – 0.2 kg/m² as adhesive layer

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PUR Top 32P grey	- 40228 8	Tin bucket	2.5 kg	96	630 631 190	
PUR Top 32P silver grey	- 40247 9	Tin bucket	2.5 kg	96	630 631 190	
PUR Top 32P transparent silk-matt	- 40926 3	Tin bucket	2.5 kg	96	630 631 190	
PUR Top 32P transparent gloss	- 40220 2	Tin bucket	2.5 kg	96	630 631 190	

HADALAN® LF68 12P

- Polyurethane binder for natural stone and decorative quartz coverings
- Consumption: approx. 5 % by weight for HADALAN® MST 89M

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
LF68 12P colourless	- 40273 8	Tin bucket	30 kg	12	630 634 010	
LF68 12P colourless	- 40233 2	Tin bucket	5 kg	72	630 634 010	
LF68 12P colourless	- 40342 1	PE bottle	1.25 kg	270	630 634 010	



HADALAN® BM2K 12P

- Polyurethane binder for natural stone and decorative quartz coverings, elastic
- Consumption: approx. 7 % by weight for HADALAN® MST 89M

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BM2K 12P colourless	- 40813 6	Set (tin bucket/tin bucket)	20 kg	25	630 634 020	

HADALAN® BM1K 32P

- Polyurethane binder for natural stone and decorative quartz coverings
- Consumption:
  approx. 7 % by weight for HADALAN® MST 89M
  approx. 0.15 kg/m² as adhesive layer

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
BM1K 32P colourless	- 40219 6	Tin bucket	5 kg	72	630 634 030	

3.5 Binder

HADALAN® NSK 20D

- Natural stone adhesive for HADALAN® MST 89M on vertical surfaces
- Consumption:
  approx. 12.5 % by weight for HADALAN® MST 89M
  approx. 0.3 kg/m² as adhesive layer

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
NSK 20D colourless	- 40320 9	PE bucket	5 kg	80	630 634 040	

HADALAN® TB 12E

- Twin binder for paving sand and drainage screed
- Consumption: approx. 0.75 kg/m² per cm drainage screed thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
TB 12E colourless	- 40380 3	Set (PE bottle/PE bottle)	1.8 kg	6	630 634 050	

3.6 Filler

HADALAN® FGM003 57M

- Filler mixture for manufacturing synthetic resin self-levelling compound, 0 – 0.3 mm
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FGM003 57M grey	- 40569 2	Paper sack	20 kg	50	630 635 010	
FGM003 57M white	- 40620 0	Paper sack	20 kg	50	630 635 010	

HADALAN® FGM012 57M

- Filler mixture for manufacturing synthetic resin filler, 0 – 1.2 mm
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FGM012 57M grey	- 40274 5	Paper sack	30 kg	30	630 635 020	
FGM012 57M anthracite	- 40944 7	Paper sack	30 kg	30	630 635 020	

HADALAN® FGM035 57M

- Filler mixture for manufacturing synthetic resin mortar, 0 – 3.5 mm
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FGM035 57M sand	- 40490 9	Paper sack	25 kg	40	630 635 030	

HADALAN® FMC 57DD

- Multicolour filler for manufacturing decorative floor coverings
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
FMC 57DD classic beige	- 40454 1	Paper sack	15 kg	34	630 635 040	
FMC 57DD contrast grey	- 40455 8	Paper sack	15 kg	34	630 635 040	

HADALAN® DQ0308 89M

- Decorative quartz for decorative surface finishing, 0.3 – 0.8 mm
- Consumption:
  approx. 3 – 4 kg/m² as scattered covering
  approx. 7 kg/m² as filler covering

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DQ0308 89M grey	- 40541 8	Paper sack	25 kg	40	630 635 050	
DQ0308 89M blue/grey	- 40542 5	Paper sack	25 kg	40	630 635 050	

HADALAN® DQ0712 89M

- Decorative quartz for decorative surface finishing, 0.7 – 1.2 mm
- Consumption:
  approx. 3 – 4 kg/m² as scattered covering
  approx. 7 kg/m² as filler covering

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
DQ0712 89M grey	- 40232 5	Paper sack	25 kg	40	630 635 060	

Quartz0105 57M

- Quartz sand fraction, hot air dried, 0.1 – 0.5 mm
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Quartz0105 57M sand	- 40332 2	PE sack	25 kg	40	630 635 080	

Quartz051 57M

- Quartz sand fraction, hot air dried, 0.5 – 1 mm
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Quartz051 57M sand	- 40370 4	PE sack	25 kg	40	630 635 090	

HADALAN® MST 89M

- Marble stones for decorative surface finishing, 2 – 4 mm
- Consumption: approx. 12 kg/m² with 8 mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
MST 89M anthracite	- 40362 9	PE sack	25 kg	42	630 635 100	
MST 89M brown-cream	- 40363 6	PE sack	25 kg	42	630 635 100	
MST 89M brown mixed	- 40586 9	PE sack	25 kg	42	630 635 100	
MST 89M brown-grey	- 40286 8	PE sack	25 kg	42	630 635 100	
MST 89M grey	- 40249 3	PE sack	25 kg	42	630 635 100	
MST 89M grey-beige	- 40585 2	PE sack	25 kg	42	630 635 100	
MST 89M grey-cream	- 40587 6	PE sack	25 kg	42	630 635 100	
MST 89M green	- 40250 9	PE sack	25 kg	42	630 635 100	
MST 89M light beige	- 40319 3	PE sack	25 kg	42	630 635 100	
MST 89M light grey	- 40276 9	PE sack	25 kg	42	630 635 100	
MST 89M rosé	- 40251 6	PE sack	25 kg	42	630 635 100	
MST 89M red-brown	- 40354 4	PE sack	25 kg	42	630 635 100	
MST 89M black	- 40269 1	PE sack	25 kg	42	630 635 100	
MST 89M terracotta	- 40318 6	PE sack	25 kg	42	630 635 100	
MST 89M white	- 40252 3	PE sack	25 kg	42	630 635 100	

HADALAN® SM 57DD

- Suspending agent for coating systems
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
SM 57DD white	- 40158 8	PE bucket	5 ltr.	80	630 637 040	

New!

HADALAN® VD 57DD

- Thickener for WHG coating systems
- 1 kg equals approx. 10 liters
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
VD 57DD	- 41103 7	PE bucket	1 kg	48	630 637	

HADALAN® FC240 22S

- Hybrid polymer-based sealant and adhesive compound
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
FC240 22S grey	- 40223 3	Cartridge	310 ml	12	630 637 050	

HADALAN® E-PU 12P

- Polyurethane grout for horizontal expansion joints, permanently elastic
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
E-PU 12P grey	- 40141 0	Combination bag	6 kg	56	630 637 060	

HADALAN® PV 20D

- Pore closure for HADALAN® MST 89M in the indoor area
- Consumption: approx. 0.8 – 1.2 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PV 20D colourless	- 40339 1	PE bucket	5 kg	80	630 637 070	

HADALAN® BSA 17DD

- Accelerator and suspending agent activator for HADALAN® BM2K 12P
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
BSA 17DD colourless	- 40887 7	PE bottle	80 g		630 637 080	

New!

HADALAN® Velo-Booster

- Accelerator for the HADALAN® Velo-System
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Velo-Booster	- 41156	PE bottle	1 ltr.		630 637 010	

HADALAN® HV Uni 30DD

- Universal adhesion promoter, light-fast
- Consumption: approx. 30 – 50 ml/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
HV Uni 30DD colourless	- 40923 2	Tin bottle	1 ltr.	11	630 637 010	

HADALAN® C 10D

- Post-treatment agent for fresh concrete
- Consumption: approx. 0.15 – 0.2 kg/m² per coat

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
C	- 40140 3	PE canister	20 kg		630 637 020	

HADALAN® HE 10D

- Enhancement for bonding bridges, concrete, mortar and screed
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
HE 10D	- 40139 7	PE bucket	5 kg		630 637 030	

HADALAN® EPV 38L

- Solvent mixture/thinner for solvent-based products
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
EPV 38L colourless	- 40143 4	Tin canister	10 ltr.	75	630 637 090	

HADALAN® GP 57DD

- Glass beads for manufacturing anti-slip surfaces
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
GP 57DD colourless	- 40253 0	Tin bottle	0.5 kg		630 637 100	

HADALAN® KG 57DD

- Plastic granulate for manufacturing anti-slip surfaces
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
KG 57DD colourless	- 40331 5	Tin bottle	0.25 kg		630 637 110	

HADALAN® PZG 9ZH

- Reinforcing fabric for repairing cracked substrates
- Consumption: approx. 1.05 m²/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PZG 9ZH Roll 1 m × 25 m	- 40524 1	Roll	25 m²	30	630 637 120	

HADALAN® HKP3060 9ZH

- Groove profile for floor/wall joint
- Consumption: Profile: 1 m/m, corner: 1 piece/90°

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
HKP3060 9ZH Profile 30 mm × 60 mm	- 40878 5		2 running metre		630 637 130	
HKP3060 9ZH Inside corner 30 mm × 60 mm	- 40879 2		1 pcs.		630 637 130	
HKP3060 9ZH Outside corner 30 mm × 60 mm	- 40880 8		1 pcs.		630 637 130	

HADALAN® TKP 9ZH

- Drip edge profile
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
TKP 9ZH Profile	- 40543 2	Quantity	1.2 running metre	25	630 637 150	

3.7 Accessories

HADALAN® APB 9ZH

- End profile, floor
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
APB 9ZH Profile	- 40335 3	Quantity	2.5 running metre	10	630 637 160	

HADALAN® APW 9ZH

- End profile, wall
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
APW 9ZH Profile	- 40334 6	Quantity	2.5 running metre	10	630 637 170	

HADALAN® APT 9ZH

- End profile, stair
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
APT 9ZH Profile	- 40336 0	Quantity	2.5 running metre	10	630 637 180	

HADALAN® APL 9ZH

- End profile, stair, perforated
- Consumption: 1 rm/rm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
APL 9ZH Profile, perforated	- 40356 8	Quantity	2.5 running metre	10	630 637 190	

HADALAN® ColourChips 89V

- Colour chips for decorative surface finishing
- Consumption:
  approx. 0.05 – 0.15 kg/m² as contrast scattering
  approx. 0.25 – 0.3 kg/m² as full-surface scattering

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
ColourChips 89V bicolour anthracite	- 40752 8	Carton	1 kg		630 637 200	
ColourChips 89V bicolour cappuc-cino	- 40756 6	Carton	1 kg		630 637 200	
ColourChips 89V bicolour grey	- 40751 1	Carton	1 kg		630 637 200	
ColourChips 89V bicolour vanilla	- 40757 3	Carton	1 kg		630 637 200	
ColourChips 89V cream	- 40746 7	Carton	1 kg		630 637 200	
ColourChips 89V dark grey	- 40742 9	Carton	1 kg		630 637 200	
ColourChips 89V light grey	- 40741 2	Carton	1 kg		630 637 200	
ColourChips 89V grey/white mix	- 40221 9	Carton	1 kg		630 637 200	
ColourChips 89V black	- 40743 6	Carton	1 kg		630 637 200	
ColourChips 89V tobacco	- 40750 4	Carton	1 kg		630 637 200	
ColourChips 89V pigeon blue	- 40749 8	Carton	1 kg		630 637 200	
ColourChips 89V white	- 40740 5	Carton	1 kg		630 637 200	
ColourChips 89V brick red	- 40748 1	Carton	1 kg		630 637 200	

HADALAN® ColourPowder

- Colour pigment powder for dyeing coatings
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
ColourPowder RAL 1015 light ivory	- 41112 9	Bag	0.3 kg		630 637 220	
ColourPowder RAL 1019 grey beige	- 41113 6	Bag	0.3 kg		630 637 220	
ColourPowder RAL 1023 traffic yellow	- 41114 3	Bag	0.3 kg		630 637 220	
ColourPowder RAL 3020 traffic red	- 41115 0	Bag	0.3 kg		630 637 220	
ColourPowder RAL 5005 signal blue	- 41116 7	Bag	0.3 kg		630 637 220	
ColourPowder RAL 6024 traffic green	- 41117 4	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7006 beige grey	- 41118 1	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7013 brown grey	- 41119 8	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7016 anthracite grey	- 41120 4	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7030 stone grey	- 41121 1	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7032 pebble grey	- 41122 8	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7035 light grey	- 41123 5	Bag	0.3 kg		630 637 220	
ColourPowder RAL 7040 window grey	- 41151 8	Bag	0.3 kg		630 637 220	
ColourPowder RAL 9005 jet black	- 41124 2	Bag	0.3 kg		630 637 220	
ColourPowder RAL 9010 pure white	- 41125 9	Bag	0.3 kg		630 637 220	

DAKORIT®
Roof Protection

ROOF PROTECTION - SEALED FROM ABOVE FOREVER.

For the renovation and maintenance of roof surfaces, we offer different product solutions for different applications. Whether elastic roof sealing on a bitumen or acrylic basis to the ETAG 005 tested PU system with DAKORIT® PUR1K 30P we have all possibilities to protect roofs from all weather conditions.

4 DAKORIT® ROOF PROTECTION

4.1 Primer	46
4.2 Roof coating	46
4.3 Roof waterproofing	46
4.4 Filling compound	47
4.5 Accessories	47

4.1 Primer

DAKORIT® HG1 31H

- Primer for polyolefin substrates
- Consumption: approx. 20 – 30 ml/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
HG1 31H colourless	- 40324 7	Tin bottle	1 ltr.	11	640 644 010	

4.2 Roof coating

DAKORIT® Bituflex 20B

- Bitumen coating for roof waterproofing, highly flexible
- Consumption:
  approx. 1.5 kg/m²
  approx. 2.5 kg/m² with DAKORIT® DV110 89V

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Bituflex 20B black	- 40267 7	PE bucket	23 kg	24	640 642 010	
Bituflex 20B black	- 40182 3	PE bucket	12 kg	33	640 642 010	

DAKORIT® Ruflex 20D

- Roof coating for the waterproofing of roof areas, coloured, elastic
- Consumption:
  approx. 1.5 kg/m² per coating on flat roofs
  approx. 2.5 kg/m² two-layer with DAKORIT® DV110 89V
  approx. 0.3 kg/m² on roofing tiles (pitched roof)
  approx. 0.5 – 1 kg/m² on fibre cement roofs

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
Ruflex 20D brick red	- 40124 3	PE bucket	25 kg	16	640 642 020	
Ruflex 20D anthracite	- 40125 0	PE bucket	25 kg	16	640 642 020	
Ruflex 20D pebble grey	- 40126 7	PE bucket	25 kg	16	640 642 020	

4.3 Roof waterproofing

DAKORIT® PUR1K 30P

- Liquid plastic for seamless, elastic roof waterproofing
- Consumption: approx. 2.5 – 3.5 kg/m²

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
PUR1K 30P silver	- 40244 8	Tin bucket	17 kg	30	640 641 010	
PUR1K 30P silver	- 40241 7	Tin bucket	7 kg	72	640 641 010	
PUR1K 30P silver	- 40271 4	Tin bucket	3.5 kg	96	640 641 010	

4.4 Filling compound

DAKORIT® ES 40B

- Elastoplastic sealing paste for fast sealing and waterproofing
- Consumption: approx. 1 kg/m² per mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Pallet	Material group	Price
ES 40B black	- 40129 8	Tin bucket	12 kg	45	640 643 010	

4.5 Accessories



DAKORIT® DV110 89V

- Roof nonwoven for embedding in seals, alkali-resistant
- Consumption:
  Roll: approx. 1.05 m²/m²
  Corner: 1 piece/90°
  Pipe collar: 1 pair per pipe

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
DV110 89V Roll 0.70 m × 100 m	- 40242 4	Roll	70 m²		640 645 010	
DV110 89V Roll 0.35 m × 50 m	- 40341 4	Roll	17.5 m²		640 645 010	
DV110 89V Roll 0.20 m × 100 m	- 40243 1	Roll	20 m²		640 645 010	
DV110 89V Roll 0.10 m × 100 m	- 40349 0	Roll	10 m²		640 645 010	
DV110 89V Inside corner	- 40714 6	Carton	20 pcs.		640 645 010	
DV110 89V Outside corner	- 40715 3	Carton	20 pcs.		640 645 010	
DV110 89V Pipe collar DN80	- 40716 0	Carton	10 Pair		640 645 010	
DV110 89V Pipe collar DN110	- 40717 7	Carton	10 Pair		640 645 010	
DV110 89V Pipe collar DN135	- 40718 4	Carton	10 Pair		640 645 010	

DAKORIT® Speed Up 17DD

- Accelerator for DAKORIT® PUR1K 30P and IMBERAL® DAB 30P
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Speed Up 17DD colourless	- 40489 3	Tin bottle	0.5 kg		640 645 020	

THE RIGHT TOOL FOR PROFESSIONAL REQUIREMENTS.

With the right tools and the right machines the work is easier by hand. High-quality brand products convince in terms of performance, resilience and endurance. That is why professional craftsmen also rely on high quality tools and machines that meet their requirements in terms of proper work and durability to 100 per cent.

5 COMPLEMENTARY PRODUCTS AND ACCESSORIES

5.1 Brushes, rollers and frames	50
5.2 Trowels and smoothing trowels	52
5.3 Squeegees and toothed rails	53
5.4 Stirrers	55
5.5 Spraying and injecting	56
5.6 Accessories	57
5.7 Machinery	59

Radiator brush

- for paints, liquid plastics and other coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Radiator brush 2.5” / 12 mm	- 40838 9		1 pcs.		650 651 010	

Ceiling brush

- for primers and slurries

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Ceiling brush 17 cm x 7 cm	- 40839 6		1 pcs.		650 651 020	

Polyamide roller, premium

- for paints, liquid plastics and other heavy coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Polyamide roller, premium 10 cm	- 40842 6		1 pcs.		650 651 030	
Polyamide roller, premium 25 cm	- 40843 3		1 pcs.		650 651 030	

Polyamide roller, special

- for floor coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Polyamide roller, special 10 cm	- 40936 2		1 pcs.		650 651 040	
Polyamide roller, special 25 cm	- 40937 9		1 pcs.		650 651 040	
Polyamide roller, special 40 cm	- 40940 9		1 pcs.		650 651 040	

Spiked roller, plastic spikes

- for eliminating air inclusions in coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Spiked roller, plastic spikes 25 cm	- 40846 4		1 pcs.		650 651 050	
Spiked roller, plastic spikes 50 cm	- 40847 1		1 pcs.		650 651 050	



Spiked roller, metal spikes

- for eliminating air inclusions in coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Spiked roller, metal spikes 25 cm	- 40452 7		1 pcs.		650 651 060	
Spiked roller, metal spikes 50 cm	- 40848 8		1 pcs.		650 651 060	

Loop roller, premium

- for eliminating air inclusions in coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Loop roller, premium 25 cm	- 40849 5		1 pcs.		650 651 070	
Loop roller, premium 50 cm	- 40850 1		1 pcs.		650 651 070	

Structure roller, coarse

- for structuring surfaces

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Structure roller, coarse 25 cm	- 40844 0		1 pcs.		650 651 080	
Structure roller, coarse 50 cm	- 40845 7		1 pcs.		650 651 080	

Radiator roller frames

- for different types of rollers

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Radiator roller frame Ø 6 mm / 10 cm	- 40851 8		1 pcs.		650 651 090	

Roller frames

- for different types of rollers

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Roller frame Ø 8 mm / 25 cm	- 40852 5		1 pcs.		650 651 100	

5.1 Brushes, rollers and frames

Roller frame, variable

- for different types of rollers

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Roller frame, variable 40 – 60 cm	- 40853 2		1 pcs.		650 651 110	

5.2 Trowels and smoothing trowels

Brick trowel

- stainless 18 cm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Brick trowel 18 cm	- 40855 6		1 pcs.		650 652 010	

Smoothing trowel

- stainless 13 x 28 cm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Smoothing trowel 13 cm × 28 cm	- 40854 9		1 pcs.		650 652 020	



Screed layer's trowel

- stainless 50 x 11 cm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Screed layer's trowel 50 cm × 11 cm	- 40856 3		1 pcs.		650 652 030	

Layer thickness trowel

- for the even application of coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Layer thickness trowel 2.5 mm application	- 40876 1		1 pcs.		650 652 040	
Layer thickness trowel 3.0 mm application	- 40877 8		1 pcs.		650 652 040	

Round trowel

- stainless 25 cm

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Round trowel 30 mm radius	- 40456 5		1 pcs.		650 652 050	
Round trowel 50 mm radius	- 40457 2		1 pcs.		650 652 050	

5.3 Squeegees and toothed rails

Squeegee

- for self-levelling coatings and seals

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Squeegee 28 cm	- 40229 5		1 pcs.		650 653 010	

iTools squeegee

- for self-levelling coatings and seals

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
iTools squeegee 56 cm with shaft	- 40875 4		1 pcs.		650 653 020	

iTools pin squeegee

- for levelling compounds

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
iTools pin squeegee 56 cm without shaft	- 40874 7		1 pcs.		650 653 030	

Toothed rail S8

- for approx. 0.8 mm layer thickness (e.g. OS8 application) corresponds to TKP S3

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Bundle	Material group	Price
Toothed rail S8 / width 28 cm	- 40861 7	Quantity	1 pcs.	10	650 653 040	
Toothed rail S8 / width 56 cm	- 40862 4	Quantity	1 pcs.	10	650 653 040	

Toothed rail S6

- for approx. 1 mm layer thickness (e.g. textured covering), corresponds to TKP S2

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Bundle	Material group	Price
Toothed rail S6 / width 28 cm	- 40857 0	Quantity	1 pcs.	10	650 653 050	
Toothed rail S6 / width 56 cm	- 40858 7	Quantity	1 pcs.	10	650 653 050	

Toothed rail special 95

- for approx. 1,5 mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Bundle	Material group	Price
Toothed rail special 95 / width 28 cm	- 40881 5	Quantity	1 pcs.	10	650 653 060	
Toothed rail special 95 / width 56 cm	- 40882 2	Quantity	1 pcs.	10	650 653 060	

Toothed rail special 48

- for approx. 2.0 mm layer thickness

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Bundle	Material group	Price
Toothed rail special 48 / width 28 cm	- 40451 0	Quantity	1 pcs.	10	650 653 070	
Toothed rail special 48 / width 56 cm	- 40883 9	Quantity	1 pcs.	10	650 653 070	

Stirring paddle

- for mixing 2-comp. thick bitumen coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Stirring paddle M14	- 40151 9		1 pcs.		650 654 010	

MK stirrer

- for mortar of all types, screed and plaster

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
MK stirrer / Ø 135 mm M14 for 20–40 l	- 40951 5		1 pcs.		650 654 020	

LX stirrer

- for paints, emulsions, coatings and sealants

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
LX stirrer / Ø 90 mm drill chuck for 5 – 15 l	- 40868 6		1 pcs.		650 654 060	

DLX stirrer

- for levelling compounds, mortars, slurries and bitumen-free sealants

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
DLX stirrer / Ø 90 mm drill chuck for 5 – 15 l	- 40953 9		1 pcs.		650 654 030	
DLX stirrer / Ø 120 mm M14 for 15 – 30 l	- 40952 2		1 pcs.		650 654 040	
DLX stirrer / Ø 150 mm M14 for 30 – 50 l	- 40869 3		1 pcs.		650 654 050	

High-performance spray gun

- Back-pack spray gun with fine mist nozzle

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
High-performance spray gun 6 l	- 40148 9		1 pcs.		650 655 010	

HHP 9ZH

- Hand-lever press

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
HHP 9ZH Cartridge and loose filling	- 40348 3		1 pcs.		650 655 020	

Aluminium tube press

- for cartridges and bags

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Aluminium tube press 600 ml	- 40941 6		1 pcs.		650 655 030	

Injection attachment

- for tube press

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Injection attachment incl. hose and pipe spout	- 40942 3		1 pcs.		650 655 040	

Injection packer

- for injecting into cracks and drill holes

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Injection packer Ø 13 mm x 75 mm	- 40149 6		1 pcs.	100	650 655 050	
Injection packer Ø 13 mm x 110 mm	- 40150 2		1 pcs.		650 655 050	

INTRASIT® KI 9ZH

- Plastic injection packer for injection fluids

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
KI 9ZH Ø 12 mm	- 40346 9		1 pcs.	100	650 655 060	

Drill hole seal reservoir

- Dosing container for injection fluids

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Drill hole seal reservoir, plastic	- 40152 6		1 pcs.		650 655 070	

5.6 Accessories

Flexible safety glasses

- PPE for handling reaction resins

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Flexible safety glasses, polyurethane	- 40866 2		1 pcs.		650 657 020	

Face visor without helmet

- PPE for handling reaction resins

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Face visor without helmet, clear, adjustable	- 40867 9		1 pcs.		650 657 030	

Nitrile gloves

- fully coated EN 388

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Nitrile gloves, size 10	- 40865 5		1 Pair		650 657 040	

Spiked slippers

- for walking on fresh floor coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Spiked slippers, size 42 – 44	- 40863 1		1 Pair		650 657 050	
Spiked slippers, size 44 – 48	- 40864 8		1 Pair		650 657 060	

Scale 9ZH

- digital, weighing plate with external display

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Scale 9ZH up to 30 kg	- 40350 6		1 pcs.		650 657 070	

Connection set for potential equalisation

- for electrically conductive floor coatings

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Connection set for potential equalisation, with measuring point and 2 m copper tape	- 40991 1		1 pcs.		650 657 080	

Measuring beaker

- for mixing with partial removal

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Measuring beaker, transparent, 2 l	- 40873 0		1 pcs.		650 657 090	

PE empty container

- for dispensing, mixing and repotting

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
PE empty container, white, 33 l	- 40234 9	PE bucket	1 pcs.		650 657 100	
PE empty container, white, 12 l	- 40235 6	PE bucket	1 pcs.		650 657 100	
PE empty container, white, 5 l	- 40246 2	PE bucket	1 pcs.		650 657 100	

5.6 Accessories

Special cleaner

- for tools
- consumption: depending on application

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Special cleaner colourless	- 40154 0	PE bottle	1 ltr.	8	650 657 010	

5.7 Machinery

Agitator EHR 23/2.5 S

- powerful agitator

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Agitator EHR 23/2.5 S up to 80 kg	- 40872 3		1 pcs.		650 656 010	

Chip gun with hopper

- for blowing in HADALAN® ColourChips 89V

Article	GTIN/EAN 4004637	Container	Container-size	Container/ Carton	Material group	Price
Chip gun with hopper for air compressor	- 40884 6		1 pcs.		650 656 020	

Stirrers Guideline

Product	Stirring paddle	MK stirrer	LX stirrer	DLX stirrer
				
HADALAN® BM2K 12P			xx	x
HADALAN® C 10D			xx	
HADALAN® DS91 13P			xx	x
HADALAN® EBG 13E			xx	x
HADALAN® EG145 13E			xx	
HADALAN® E-PU 12P			xx	x
HADALAN® EPUni 12E			xx	
HADALAN® ESD-G 12E			xx	
HADALAN® ESD-LDS 12E			xx	
HADALAN® ESD-LS 12E			xx	
HADALAN® FBA 32P			xx	
HADALAN® GVS 12E			xx	
HADALAN® IB20 54Z				xx
HADALAN® KS 13P			xx	
HADALAN® LF41 12E			xx	
HADALAN® LF51 12E			xx	
HADALAN® MBH 12E			xx	
HADALAN® Pripor 12E			xx	
HADALAN® PUR Floor-E 13P			xx	
HADALAN® PUR Floor-H 13P			xx	
HADALAN® PUR Top 32P			xx	
HADALAN® SBH 13E			xx	
HADALAN® SK 10D			xx	
HADALAN® TB 12E			xx	
HADALAN® Topcoat-Flex			xx	
HADALAN® Topcoat G 32P			xx	
HADALAN® Topcoat M 12P			xx	
HADALAN® V31 13E			xx	
HADALAN® Velo-Base			x	xx
HADALAN® Velo-Seal				xx
HADALAN® Velo-Flex			xx	
HADALAN® VS 12E			xx	

X = Appropriate XX = Recommendation

Product	Stirring paddle	MK stirrer	LX stirrer	DLX stirrer
HADALAN® VS-E 12E			xx	x
HADALAN® WHG-DS 12E			xx	
HADALAN® WHG-G 12E			xx	
HADALAN® WHG-LDS 12E			xx	
HADALAN® WHG-LS 12E			xx	
IMBERAL® 2K 20B	xx			
IMBERAL® 2K Winter 26B	xx			
IMBERAL® 2K-D 20B	xx			
IMBERAL® RSB 55Z		x		xx
IMBERAL® S100 90B	xx			
INTRASIT® BLS 54TR		x		xx
INTRASIT® DS1 54Z		x		xx
INTRASIT® DS2 54Z		x		xx
INTRASIT® DSM-Pro 54Z		x		xx
INTRASIT® FP 54Z		xx		
INTRASIT® FSM Winter 56Z		xx		
INTRASIT® GP-WTA 54Z		xx		
INTRASIT® Poly-C1 54Z		x		xx
INTRASIT® PU-Injekt 12P			xx	
INTRASIT® RZ1 55HSP		xx		
INTRASIT® RZ2 55HSP		xx		
INTRASIT® SP-WTA 54Z		xx		
INTRASIT® SM 54Z		xx		
INTRASIT® USP 54Z		xx		
INTRASIT® VS-WTA 54Z		xx		
ÖKOPLAST 1K 20B	xx			
ÖKOPLAST 2K 20B	xx			
ÖKOPLAST PK-2K 20B	xx			
ÖKOPLAST Plus 55Z	xx			
PROLASTIC® 55Z		x		xx
VESTEROL® MS 55HSP		xx		

Colour guide

Products

HADALAN® LF41 12E / HADALAN® LF51 12E

RAL	approx.	Colour	Status
	1000	Grünbeige	●
	1001	Beige	●
	1002	Sandgelb	●
	1013	Perlweiß	●
	1014	Elfenbein	●
	1015	Hellelfenbein	●
	1020	Olivgelb	●
	1021	Rapsgelb	●
	1024	Ockergelb	●
	1032	Ginstergelb	●
	2000	Gelborange	●
	2002	Blutorange	●
	2012	Lachsorange	●
	3003	Rubinrot	●
	3009	Oxidrot	●
	3011	Braunrot	●
	3012	Beigerot	●
	3014	Altrosa	●
	3020	Verkehrsrot	●
	3027	Himbeerrot	●
	3031	Orientrot	●
	4001	Rotlila	●
	4009	Pastellviolett	●
	5002	Ultramarinblau	●
	5005	Signalblau	●
	5007	Brillantblau	●
	5010	Enzianblau	●
	5012	Lichtblau	●
	5013	Kobaltblau	●
	5014	Taubenblau	●
	5015	Himmelblau	●
	5017	Verkehrsblau	●
	5020	Ozeanblau	●
	5024	Pastellblau	●
	6002	Laubgrün	●
	6011	Resedagrün	●
	6013	Schilfgrün	●

HADALAN® Acryl 10D

RAL	approx.	Colour	Status
	6017	Maigrün	●
	6018	Gelbgrün	●
	6019	Weißgrün	●
	6021	Blassgrün	●
	6034	Pastelltürkis	●
	7001	Silbergrau	●
	7003	Moosgrau	●
	7004	Signalgrau	●
	7005	Mausgrau	●
	7006	Beigegrau	●
	7015	Schiefergrau	●
	7016	Anthrazitgrau	●
	7021	Schwarzgrau	●
	7023	Betongrau	●
	7030	Steingrau	■
	7031	Blaugrau	●
	7032	Kieselgrau [1]	■
	7033	Zementgrau	●
	7035	Lichtgrau	●
	7036	Platingrau	●
	7037	Staubgrau	●
	7038	Achatgrau	●
	7039	Quarzgrau	●
	7040	Fenstergrau	●
	7042	Verkehrsgrau A	●
	7043	Verkehrsgrau B	●
	7044	Seidengrau	●
	7045	Telegrau 1	●
	7046	Telegrau 2	●
	7047	Telegrau 4	●
	8014	Sepiabraun	●
	8017	Schokoladenbraun	●
	8025	Blassbraun	●
	9001	Cremeweiß [2]	●
	9002	Grauweiß	●
	9005	Tiefschwarz	●
	9016	Verkehrsweiß [3] [4]	●

Products

HADALAN® ColourPowder*

RAL	approx.	Colour
	1015	Hellelfenbein
	1019	Graubeige
	1023	Verkehrsgelb
	3020	Verkehrsrot
	5005	Signalblau
	6024	Verkehrsgrün
	7006	Beigegrau
	7013	Braungrau
	7016	Anthrazitgrau
	7030	Steingrau
	7032	Kieselgrau
	7035	Lichtgrau
	7040	Fenstergrau
	9005	Tiefschwarz
	9010	Reinweiß

* Suitable for colouring: **HADALAN® VS** 12E**, HADALAN® VS-E** 12E**, HADALAN® GVS** 12E**, HADALAN® PUR Floor-H** 13P**, HADALAN® PUR Floor-E** 13P**, HADALAN® MBH** 12E**, HADALAN® Velo-Base, HADALAN® Velo-Flex, HADALAN® Velo-Seal, HADALAN® PUR Top** 32P

Delivery form for special colours

Product	Package size in kg / l	
HADALAN® LF41 12E	5	25
HADALAN® LF51 12E	6	24
HADALAN® Acryl 10D	5	

Surcharge for special colours

Order quantity	Surcharge € / kg, € / l
up to 15 kg/l	2,06
up to 50 kg/l	1,55
up to 150 kg/l	1,03
up to 250 kg/l	0,82
from 251 kg/l	0,62

■ Stocked goods

● Special colours or made-to-order production are produced on demand for individual customers. A lead time of 5 working days has to be considered before the goods are available for dispatch, subject to the availability of raw materials.

[1] no stocked goods by HADALAN® Acryl 10D

[2] not available for HADALAN® LF51 12E

[3] not available for HADALAN® LF41 12E

[4] Minimum purchase for HADALAN® LF51 12E: 1 pallet, delivery time on request

From an order quantity of 200 kg delivery date on request.
The colour shades indicated are approximate values that do not correspond to the exact RAL standard shades.
Deliveries may vary slightly from batch to batch, which does not constitute a defect.

SELF-EXPLANATORY PACKAGING

In the new design of our packaging, we have made sure that you can take out all relevant product information quickly and easily. This is ensured by a simple and clear design principle with a focus on the essentials for the processor.

9 Endorsement

our reference to the umbrella brand Sievert

8 QR-Code

further product information such as technical data sheets, safety data sheets, test reports and much more

7 Information pictograms

quickly comprehensible information on area of application, processing and storage

6 EAN-Code

for simple and fast merchandise management

REFERENCE PICTOGRAMS

Area of application

outside floor

outside wall

outside floor, wall

outside floor
inside floor

inside floor

inside wall

inside floor, wall

outside wall
inside wall

outside floor, wall
inside floor

outside floor, wall
inside floor, wall

outside roof

outside floor, roof

outside wall, roof

outside floor, wall, roof

Processing temperature

min./max. temperature (air, environment, product)

Personal protective equipment

safety goggles

safety goggles and gloves

safety goggles, mouth guard and gloves

safety goggles and mouth guard

gloves

mouth guard and gloves

mouth guard

Mixing

water addition percentage

water addition litres

weight parts powder

weight part comp. A : comp. B

volume part comp. A : comp. B

Stirring

anchor stirrer

wing stirrer

spiral stirrer

shaking

Processing time

processing time

Tools

trowel

smoother

toothed trowel

brush

scraper

roll

paintbrush

cloth

spiral pump

airless sprayer

sprayer


joint board

hand press

injection packer

storage container

further system products necessary

Tool cleaning

water

solvent

Storage



storage duration

storage duration dry

storage duration frost-free

storage duration frost-free and dry

Disposal company

Interseroh

Alphabetical Index

A

Acryl 10D 25
Agitator EHR 23/2.5 S 59
Aluminium tube press 56
APB 9ZH 42
APL 9ZH 42
APT 9ZH 42
APW 9ZH 42
Aquarol 10A 14
Aquarol 10D 6
Aquarol Winter 16D 6
AS 88OS 15
AS-Multidrain 89V 11

B

BEP-F 20B 10
BES 10B 9
Bituflex 20B 46
BLK 18OS 15
BLS 54TR 17
BM1K 32P 33
BM2K 12P 33
Brick trowel 52
BSA 17DD 38

C

C 10D 39
Ceiling brush 50
Chip gun with hopper 59
ColourChips 89V 43
ColourPowder 43
Connection set for potential equalisation 58

D

DAB 30P 9
DB 89ZH 11
DB-PV 89ZH 10
DLX stirrer 55
DQ0308 89M 35
DQ0712 89M 35
Drill hole seal reservoir 57
DS1 54Z 18
DS2 54Z 18
DS91 13P 31
DSM-Pro 54Z 18
DV110 89V 47

E

EBG 13E 29
EG145 13E 29
Emuflex 20B 9
E-PU 12P 38
EPUni 12E 29
EPV 38L 40
ES 40B 47
ESD-G 12E 25
ESD-LDS 12E 27
ESD-LS 12E 27

F

FAB 89ZH 10
Face visor without helmet 57
FBA 32P 31
FC240 22S 38
FGM003 57M 34
FGM012 57M 34
FGM035 57M 35
Flexible safety glasses 57
FMC 57DD 35
FP 54Z 19
FSM Winter 56Z 17

G

GEL 28OS 21
GP 57DD 40
GP-WTA 54Z 20
GVS 12E 28

H

HE 10D 40
HG1 31H 46
HHP 9ZH 56
High-performance spray gun 56
HKP3060 9ZH 41
HV Uni 30DD 39

I

IB20 54Z 30
IC 28OS 15
IMBERAL® 2K 20B 7
IMBERAL® 2K-D 20B 7
IMBERAL® 2K-Winter 20B 7
IMBERAL® S100 90B 7
Injection attachment 56
Injection packer 56
iTools pin squeegee 53
iTools squeegee 53

K

KG 57DD 40
KI 9ZH 57
Kontakt 10D 14
KS 13P 28

L

Layer thickness trowel 53
LF41 12E 25
LF51 12E 25
LF68 12P 33
Loop roller, premium 51
LX stirrer 55

M

MBH 12E 30
Measuring beaker 58
MEK 18OS 14
MK stirrer 55
MS 55HSP 31
MST 89M 36
Multidrain 89V 11

N

Nitrile gloves 57
NSK 20D 34

O

ÖKOPLAST 1K 20B 8
ÖKOPLAST 2K 20B 8
ÖKOPLAST PK-2K 20B 10
ÖKOPLAST Plus 55Z 8

P

PE empty container 58
Polyamide roller, premium 50
Polyamide roller, special 50
Poly-C1 54Z 18
Pripor 12E 27
PROLASTIC® 55Z 6
PU-Aquastop 11P 16
PU-Injekt 12P 15
PUR Floor-E 13P 28
PUR Floor-H 13P 28
PUR Top 32P 32
PUR1K 30P 46
PV 20D 38
PZG 9ZH 41

Q

Quartz0105 57M 36
Quartz051 57M 36

R

Radiator brush 50
Radiator roller frames 51
Roller frame, variable 52
Roller frames 51
Round trowel 53
RSB 55Z 6
Ruflex 20D 46
RZ1 55HSP 19
RZ2 55HSP 19

S

SBH 13E 29
Scale 9ZH 58
Screed layer's trowel 52
SE-SB 10D 16
SE-SF 70A 16
SE-SL 18DD 16
SK 10D 24
SK 16B 9
SKB 89B 8
SM 54Z 17
SM 57DD 37
Smoothing trowel 52
SP 10A 20
Special cleaner 59
Speed Up 17DD 47
Spiked roller, metal spikes 51
Spiked roller, plastic spikes 50
Spiked slippers 58
SP-WTA 54Z 20
Squeegee 53
SSW 18OS 21
Stirring paddle 55
Structure roller, coarse 51

T

TB 12E 34
TG 10D 24
TKP 9ZH 41
Toothed rail S6 54
Toothed rail S8 54
Toothed rail special 48 54
Toothed rail special 95 54
Topcoat G 32P 32
Topcoat M 12P 32
Topcoat-Flex 32

U

USP 54Z 19
UT 18L 21

V

V31 13E 24
VD 57DD 37
VE 89V 11
Velo-Base 30
Velo-Booster 39
Velo-Flex 30
Velo-Seal 31
VK 10A 14
VS 12E 26
VS-E 12E 26
VS-WTA 54Z 20

W

WHG-DS 12E 26
WHG-G 12E 24
WHG-LDS 12E 27
WHG-LS 12E 26

Photo credits:
p. 4, 22 Shutterstock
p. 12 iStock

PREMIUM QUALITY. JUST IN TIME ON SITE.

Benefit from our all-round expertise

We build on quality, efficiency and safety. Do you? Then you've come to the right place. Whether quick-mix, akurit, tubag, strasser or hahne – all our brands stand for premium building materials that are first-class in terms of application safety, process efficiency and cost-effectiveness. With our in-house logistics, we also ensure precise delivery.

Sievert Baustoffe is a subsidiary of the family-run Sievert SE, which has been in existence for over 100 years. The competence of our five premium brands is bundled under its umbrella in the building materials division. This creates additional added value for you: synergy effects resulting from experience with a wide variety of trades. Innovative spirit and grown competence, from which specialist tradesmen and the trade benefit just as much as architects and building owners.

quick-mix akurit tubag

BRILLIANT PERFORMANCES, CURRENT STATUS

Sievert building materials in figures

More than
430,000,000
Euro turnover we currently generate per year

Approx.
3,400
hands are active for you every day

5
We have been supplying 5 generations with the best building materials of their time

Approx.
40
We supply approx. 40 countries with the best building materials the market has to offer

Approx.
2,500,500
tonnes of building materials every year we deliver to our national and international customers

Approx.
800
premium products we offer for (almost) all trades

strasser hahne sievert logistik

hahne

TECHNICAL HOTLINE

Tel: +49 2363 5663-66
technik-hahne@sievert.de

ORDERS

Tel: +49 2363 5663-77
Fax +49 2363 5663-93
auftrag-hahne@sievert.de

Stand 02/22 · Nr. 9117 UK

hahne is a brand of Sievert
Sievert Baustoffe GmbH & Co. KG
Mühleneschweg 6, 49090 Osnabrück, Tel. +49 2363 5663-0, Fax +49 2363 5663-90, hahne-bautenschutz.de, info-hahne@sievert.de